

20

Notice of Allowability	Application No.	Applicant(s)	
	10/715,977	ROSSI ET AL.	
	Examiner	Art Unit	
	Thuy V. Tran	2821	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment submitted on 03/29/2007.
2. ☒ The allowed claim(s) is/are 22,24-30,32-36 and 40-50.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 03/29/2007
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____



**THUY V. TRAN
PRIMARY EXAMINER**

DETAILED ACTION

This Office Action is in response to the Applicants' amendment submitted on 03/29/2007. In virtue of this amendment:

- Claims 1-21, 23, 31, and 37-39 are canceled; and thus,
- Claims 22, 24-30, 32-36, and 40-50 are now presented in the instant application.

Allowable Subject Matter

1. Claims 22, 24-30, 32-36, and 40-50 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or fairly suggest:

- A display wherein the heat pipe is coupled to a first end of the lamp and a second end of the lamp, the heat pipe to apply heat to both the first and second ends of the lamp, in combination with the remaining claimed limitations as called for in independent claim 22 (claims 24-28 and 45-47 are allowed since they are dependent on claim 22);
- A system comprising a unit to control a level of heat provided to the lamp based on a measurement of electrical input power provided to the lamp in order to maintain a particular level of brightness generated by the lamp, in combination with the remaining claimed limitations as called for in independent claim 29 (claims 30, 32-35, and 48 are allowed since they are dependent on claim 29); and
- An apparatus wherein the transfer unit comprises a fan or synthetic jet unit that is located in the display to generate air movement across the heat pipe having the liquid that is capable of vaporizing and have the heated air flow against the lamp, in

Art Unit: 2821

combination with the remaining claimed limitations as called for in independent claim 36 (claims 40-44 and 49-50 are allowed since they are dependent on claim 36).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy V. Tran whose telephone number is (571) 272-1828. The examiner can normally be reached on M-F (8:00 AM -4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Owens Douglas can be reached on (571) 272-1662. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

06/10/2007


THUY V. TRAN
PRIMARY EXAMINER